



■ Sundry accessories

2-stroke mixture/oil hose

Resistant to UV radiation and deterioration caused by petrol. Pack: loose.

| Description | Part number |
|---|-------------------|
| 2-stroke mixture/oil hose ø 3.2 x 6.4 mm - length 1 m | 005100921A |
| 2-stroke mixture hose ø 3 x 5 mm - length 1 m | 005101079 |



Starting rope spoos

High-strength diamond braided nylon rope for maximum resistance to strain and fraying. Pack: loose.

| Description | Part number |
|--------------------------------|------------------|
| Starting rope ø 2.5 mm - 100 m | 3503121 |
| Starting rope ø 3.0 mm - 100 m | 3503015 |
| Starting rope ø 3.5 mm - 100 m | 005101050 |
| Starting rope ø 4.0 mm - 100 m | 006101034 |



Fuel/oil can

Fuel/oil can, BAM approved, for transporting in the car; red plastic dual purpose can: 5 l petrol + 2.5 l oil - professional type with graduated scale. Pack: loose.

| Description | Part number |
|--------------|----------------|
| Fuel/oil can | 4175158 |



BAM approved petrol can for transporting fuel on public highways in accordance with UN regulations. This product is TÜV certified. Comes with extension hose for troublefree refuelling. A high quality jerry can suitable both for professional and for home. Pack: carton.

| Description | Part number |
|------------------|----------------|
| Petrol jerry can | 4175169 |



Illustration Diverses Zubehör (1/3)

| Bild Nr. | St.- Zahl | Teile Nr. | Beschreibung |
|----------|--------------|------------|---|
| 1 | | 005100921A | Gemisch-/ölschlauch Ø3.2 x 6.4 mm - länge 1 m |
| 2 | | 005101079 | Gemischschlauch Ø3 x 5 mm - länge 1 m |
| 3 | | 3503121 | Starterseil Ø2.5 mm - 100 m |
| 4 | | 3503015 | Starterseil Ø3.0 mm - 100 m |
| 5 | | 005101050 | Starterseil Ø3.5 mm - 100 m |
| 6 | | 006101034 | Starterseil Ø4.0 mm - 100 m |
| 7 | | 4175158 | Benzin-/ölkannister |
| 8 | | 4175169 | Benzin-/ölkannister |



Sundry accessories



Sundry accessories

Extension cords to CEE - VDE - IMQ standards

Available in various different versions to work easily in the vicinity of the home using electric power tools. 250 V/10 A cable 25 m - 3 x 1 mm². Pack: bag.



| Description | Part number |
|---|------------------|
| With Italian plug and Schuko receptacle | 001000865 |
| With Schuko plug and receptacle | 001000866 |



p.n. 001000865



p.n. 001000866

| Description | Part number |
|--|------------------|
| Schuko plug and Australian receptacle | 001000867 |
| UK plug and Schuko receptacle (10 m cable) | 001000911 |



p.n. 001000867



p.n. 001000911

| Description | Part number |
|-------------------|----------------|
| Schuko receptacle | 3044102 |



p.n. 3044102

Funnel

Plastic funnel complete with filter mesh; protects the engine from impurities in the oil. Pack: bag.



| Description | Part number |
|-------------|-------------------|
| Funnel | 003401054R |



Toolkit

Aluminium case with internal partitions, complete with special tools, instruction booklets and repair manuals. Pack: loose.



| Description | Part number |
|------------------|------------------|
| Complete toolkit | 001000949 |



Illustration Diverses Zubehör (2/3)

| Bild Nr. | St.- Zahl | Teile Nr. | Beschreibung |
|----------|--------------|------------|--|
| 1 | | 001000865 | Mit italienischem stecker und schuko-steckdose (nicht für deutschland lieferbar) |
| 2 | | 001000866 | Mit schuko-stecker und schuko-steckdose |
| 3 | | 001000867 | Schuko-stecker und australische steckdose (nicht für deutschland lieferbar) |
| 4 | | 001000911 | Englischer stecker und schuko-steckdose (kabel 10 m) (nicht für deutschland lieferbar) |
| 5 | | 3044102 | Schuko-steckdose |
| 6 | | 003401054R | Trichter |
| 7 | | 001000949 | Kompletter werkzeugkoffer |



■ Sundry accessories

Electronic revolution counter

Measurement range from 100 to 30,000 rpm with tolerance of ± 10 rpm. Ideal for 2-stroke and 4-stroke engines. Functions with cable or remotely through induction. Rev counter and hour counter functions. Pack: pouch.

| Description | Part number |
|-------------------------------|-------------|
| Electronic revolution counter | 001000785 |



Spark tester

Checks arrival of current to spark plug. To be connected between coil cable and spark plug; functions also when the engine is running. Pack: loose.

| Description | Part number |
|--------------|-------------|
| Spark tester | 001000515R |



Combination wrenches

To remove spark plugs. Also features screwdriver tip for chainsaw chain tensioning. Pack: loose.

| Description | Part number |
|-----------------------|-------------|
| 17 x 19 mm wrench | 2304009 |
| 14 x 21 mm wrench | 2304022 |
| 10 x 19 mm wrench | 2304029 |
| 13 x 19 mm wrench | 2304073 |
| 19 mm wrench with bar | 301000129 |



Illustration Diverses Zubehör (3/3)

| Bild Nr. | St.- Zahl | Teile Nr. | Beschreibung |
|----------|--------------|------------|-------------------------------|
| 1 | | 001000785 | Elektronischer drehzahlmesser |
| 2 | | 001000515R | Zündungstester |
| 3 | | 2304009 | Kombischlüssel 17 x 19 mm |
| 4 | | 2304022 | Kombischlüssel 14 x 21 mm |
| 5 | | 2304029 | Kombischlüssel 10 x 19 mm |
| 6 | | 2304073 | Kombischlüssel |
| 7 | | 301000129 | Schlüssel 19 mm mit rohr |



■ Lubricants



Lubricants

Special oil for 2-stroke engines

Special semi-synthetic oil "PROSINT" 2T at 2% (50:1) for lubrication of high-performance 2-stroke engines. Suitable for use with leaded and unleaded petrol. Minimizes deposits and spark plug fouling. Low emissions, reduced wear and clean engine. Exceeds API TC - JASO FC - ISO - L - EGD specifications. Colour blue/green. Package: carton 20 pcs. x 100 ml or 12 pcs. x 1l. Minimum order: 1 carton.



| Description | Part number |
|---|-------------|
| Special oil "PROSINT" 2T - 100 ml bottle | 1108020A |
| Special oil "PROSINT" 2T - 1 l can | 1108021A |
| Special oil "PROSINT" 2T 1 litre bottle with measure | 001001335 |

p.n. 1108020A



p.n. 1108021A

p.n. 001001335



Special synthetic oil "EXTRASINT" 2T at 1% (100:1), ideal for lubrication of competition or high performance 2-stroke engines. Can be used with leaded and unleaded petrol. Elimination of carbon deposits, ash and smoke emissions. High biodegradability. Exceeds API TC - JASO FC - ISO - L - EGD specifications. Colour red. Package: carton 20 pcs x 100 ml or 12 pcs x 1l. Minimum order: 1 carton.

| Description | Part number |
|--|-------------|
| Special oil "EXTRASINT" 2T - 100 ml bottle | 001000889A |
| Special oil "EXTRASINT" 2T - 1 l can | 001000887A |

p.n. 001000889A



p.n. 001000887A



"ECOLUBE" biodegradable oil for chains

"ECOLUBE" biodegradable oil for perfect lubrication of guide bars and chains while ensuring minimum environmental impact. Natural product that does not contain mineral oils, sulphur or phosphorous. High lubricating power, antiwear, high viscosity, oxidation-resistant. Exceeds CEC - L - 33 - A - 93 specifications. Package: carton 12 pcs. x 1 l. or 4 pcs. x 5 l. Minimum order: 1 carton.



| Description | Part number |
|---------------------------------------|-------------|
| "ECOLUBE" biodegradable oil - 1 l can | 001000891A |
| "ECOLUBE" biodegradable oil - 5 l can | 1108014A |



p.n. 001000891A



p.n. 1108014A

Illustration Schmiermittel (1/3)

| Bild Nr. | St.- Zahl | Teile Nr. | Beschreibung |
|----------|--------------|------------|---|
| 1 | | 1108020A | Spezialöl prosint 2t - 100-ml-flasche |
| 2 | | 1108021A | Spezialöl prosint 2t - 1-l-kanister |
| 3 | | 001001335 | Spezialöl prosint 2t |
| 4 | | 001000889A | Spezialöl extrasint 2t - 100-ml-flasche |
| 5 | | 001000887A | Spezialöl extrasint 2t - 1-l-kanister |
| 6 | | 001000891A | Bio-öl ecolube - 1-l-kanister |
| 7 | | 1108014A | Bio-öl ecolube - 5-l-kanister |



Lubricants

"LIFE-LUBE" guide bar and chain protector

A compound formulated expressly for the protection of bars and chains, based on blended esters and greases of natural origin. Easily biodegradable. Special additives guarantee appreciable protection against wear and seizure. Good viscosity and pour point. Package: carton 9 pcs. x 2 l or 4 pcs x 5 l. Minimum order: 1 carton.



| Description | Part number |
|---|----------------|
| "Life-lube"- guide bar and chain protector 2-litre can | 1108018 |
| "Life-lube"- guide bar and chain protector 5-litre can | 1108017 |



p.n. 1108018

p.n. 1108017

Special oil for 4-stroke engines - SAE 30

Highly refined SAE 30 grade mineral oil, specifically formulated and developed for 4-stroke air- and water-cooled engines designed for gardening sector applications. Mineral type engine oil containing a special combination of additives that give excellent detergent/dispersant, antioxidant, anticorrosive, and anti-wear properties. Exceeds API SG/CE, MIL - L - 2104 D, MIL - L - 46152 C specifications. Package: carton 16 pcs. x 600 ml. Minimum order: 1 carton.



| Description | Part number |
|---|-------------------|
| SAE 30 oil for 4-stroke engines 600 ml can | 001001092B |



Special oil for 4-stroke engines - SAE 10 W - 30

Synthetic oil based lubricant, SAE 19 W - 30 grade, specifically developed for 4-stroke air- and water-cooled engines used in gardening sector applications. High-performance all-season oil containing a special combination of additives that give excellent detergent and dispersant, antioxidant, anticorrosive, and anti-wear properties. Exceeds API SL/CF specifications. Package: carton 20 pcs. x 100 ml. Minimum order: 1 carton.



| Description | Part number |
|---|------------------|
| SAE 19 W - 30 oil for 4-stroke engines 100 ml bottle | 001001339 |



Illustration Schmiermittel (2/3)

| Bild Nr. | St.- Zahl | Teile Nr. | Beschreibung |
|----------|--------------|------------|---|
| 1 | | 1108018 | Schutzmittel für schienen und ketten life-lube 2-l kanister |
| 2 | | 1108017 | Schutzmittel für schienen und ketten life-lube 5-l kanister |
| 3 | | 001001092B | Öl sae 30 für 4-takt-motoren |
| 4 | | 001001339 | Öl sae 30 für 4-takt-motoren |

Lubricants



Lubricants

Special grease

Special high quality lithium grease with molybdenum bisulphide for bevel gear pairs, elastic couplings, hedgetrimmer transmissions, earth auger gear reducers. Recommended for use with all mechanical parts subject to high loads. Exceeds ISO 6743-9; DIN 51825 KPF 2K - 30 specifications. Packing: carton. Quantity per carton: 24. Minimum order: 1 carton.



| Description | Part number |
|---------------------------|-----------------|
| Special grease/125 g tube | 4174238A |



Special additive for petrol and diesel fuels

Special "ADDITIX 2000" additive, ideal for treatment of diesel fuel, 2-stroke mixture and leaded or unleaded petrol. Prevents deterioration of fuel for at least 12 months and protects from oxidation. Facilitates engine starting, keeps fuel system clean, and protects against rust and corrosion. Pack of 24 x 125 ml bottles. One full doser cap is sufficient for 5 l of petrol.



| Description | Part number |
|---|------------------|
| Special additive "ADDITIX 2000" - 125 ml bottle | 001000972 |



Multipurpose concentrated degreasing detergent

High concentration detergent to obtain excellent results in the cleaning of heavily fouled surfaces such as mechanical parts, engines, tools for gardening, agriculture, and forestry, bicycles and motorcycles. 500 ml bottle with spray dispenser. Pack containing 12 pcs x 500 ml or 4 pcs x 5 l. Minimum order: 1 carton.



| Description | Part number |
|--|------------------|
| Multipurpose concentrated degreasing detergent/500 ml bottle | 001101009 |
| Multipurpose concentrated degreasing detergent/5-litre can | 001101222 |



p.n. 001101009

pn.. 001101222

Illustration Schmiermittel (3/3)

| Bild Nr. | St.- Zahl | Teile Nr. | Beschreibung |
|----------|--------------|-----------|---|
| 1 | | 4174238A | Spezialfett/125-g-tube |
| 2 | | 001000972 | Spezialadditiv additix 2000 - 125-ml-flasche |
| 3 | | 001101009 | Fett lösendes mehrzweck-reinigungskonzentrat / 500-ml-flasche |
| 4 | | 001101222 | Fett lösendes mehrzweck-reinigungskonzentrat / 5-l kanister |