



Ref #	Item #	Description	Qty	Remark
S●□	1	772083A Transmission Cover		
S●□	2	780086A Needle Bearing		
S●□	2A	780086A Needle Bearing		
S●□	3	770061A Transmission Case		
●□	4	776134 Countershaft		
S●□	8	792089A Key		
●□	9	784266 Collar		
●□	10	784267 Shift Rod & Fork		
S●□	11A	778109A Gear Kit		(Incl. 778137A & 778136) NOTE: The above bevel gear is now a two-piece assembly. When this two-piece assembly is used, the countershaft may also need replacing. Order a new 776134 countershaft (Ref. No. 4) which has five (5) splined areas to accommodate the gear assembly.
S●□	12	778113A Input Bevel Pinion		
●□	19	786076 Sprocket (10 teeth)		
S●□	20	792077A Steel Ball, 5/16"		
●□	21	792078 Set Screw, 3/8-16 x 3/8"		
●□	22	792079 Spring		
S●□	25	792073A Screw, 1/4-20		

		x 1-1/4"	
●	□ 26 792072	Retaining Ring	
S●	□ 27 792035	Retaining Ring	
●	□ 28 788040	Retaining Ring	
●	□ 29 780072	Thrust Race	
●	□ 30 780108	Thrust Washer (1/16" thick)	
●	□ 30A 780108	Thrust Washer (1/16" thick)	
●	□ 32 792001	"O" Ring	
S●	□ 34 780105A	Flange Bushing	
●	□ 36 790003	Brake Disk	
●	□ 37 790007	Brake Pad Plate	
S●	□ 38 799021	Brake Pad (pkg of 2)	
●	□ 39 786026	Dowel Pin	
S●	□ 40 792076A	Flat Washer, 5/16"	
S●	□ 41 790008A	Brake Lever	
S●	□ 42 792073A	Screw, 1/4-20 x 1-1/4"	Use as required
S●	□ 43 792075	Locknut, 5/16- 24	
S●	□ 44 790025	Brake Pad Holder	
●	□ 46 786086	Brake Lever Bracket	
●	□ 49 778125	Spur Gear (35 teeth)	
S●	□ 50 778124A	Spur Gear (30 teeth)	
S●	□ 51 778123A	Spur Gear (25 teeth)	
S●	□ 52 778121A	Spur Gear (20 teeth)	
●	□ 56 778136	Spur Gear (15 teeth) NOTE: Gear 778136 was used as a spacer on the following: Models 704,A,B, 716, 719,A,B, 743, 766,A, 785,A, 799	
S●	□ 57 778126A	Spur Gear (20 teeth)	
S●	□ 58 778127A	Spur Gear (25 teeth)	
S●	□ 59 778129A	Spur Gear (30 teeth)	
●	□ 63 786071	Spacer 3/4" ID x 1-1/8" OD x 3/8" thick	

●	□	64	786072	Output Shaft Spacer
●	□	65	780109	Washer
●	□	66	776135	Input Shaft (3- 11/16" long)
S	●	□	67	776217 Output & Brake Shaft (8-13/16" long) (Shaft has four keyways and replaces shafts with two keyways. Use four keys)
●	□	71	788069	Square Cut Seal
●	□	72	792074	Threaded Plug
●	□	86	792083	Washer (Use as required)
S	●	□	90	788067B Grease 32 oz. bottle Bentonite greas e
●	□	92	786069	Output Shaft Spacer
●	□	93	786068	Countershaft Spacer
●	□		788118	Sealer