



ILLUSTRATION SHOWS TYPICAL PARTS ONLY. ORDER BY PART NUMBER. PARTS NOT LISTED ARE SUPPLIED BY OEM.




|     |     |     |     |
|-----|-----|-----|-----|
| 47  | 68  | 47C | 48C |
|     |     |     |     |
| 47A | 68A | 47D | 48D |
|     |     |     |     |
| 47B | 68B | 47E | 48E |
|     |     |     |     |



| Ref # | Part Number | Qty | Description                        |
|-------|-------------|-----|------------------------------------|
| 1     | 772077B     | 1   | Transaxle Cover                    |
| 2     | 780086A     | 2   | Needle Bearing                     |
| 3     | 770071B     | 1   | Transaxle Case                     |
| 4     | 776204      | 1   | Countershaft                       |
| 5     | 778138      | 1   | Output Pinion                      |
| 6     | 778139      | 1   | Output Gear (35 teeth)             |
| 7     | 778136      | 1   | Spur Gear (15 teeth)               |
| 8     | 792089A     | 2   | Shift Key                          |
| 9     | 784266      | 1   | Shift Collar                       |
| 10    | 784334      | 1   | Shift Rod & Fork                   |
| 11    | 778137A     | 1   | Bevel Gear (42 teeth)              |
| 12    | 778113A     | 1   | Input Bevel Pinion                 |
| 13    | 778368      | 2   | Bevel Gear (13 teeth) (Incl. 14)   |
| 14    | 778368      | 2   | Bevel Pinion (13 teeth) (Incl. 13) |
| 15    | 778175      | 1   | Differential Gear (Incl. 120)      |
| 17    | 786034      | 1   | Drive Pin                          |
| 18    | 786074      | 1   | Spacer                             |
| 20    | 792077A     | 1   | Steel Ball, 5/16" dia.             |
| 21    | 792078      | 1   | Set Screw, 3/8-16 x 3/8"           |
| 22    | 792079      | 1   | Spring                             |
| 25    | 792073A     | 17  | Screw, 1/4-20 x 1-1/4"             |
| 26    | 792125      | 4   | Retaining Ring                     |
| 27    | 792035      | 1   | Retaining Ring                     |
| 28    | 788040      | 1   | Retaining Ring                     |
| 29    | 780072      | 4   | Washer                             |
| 30    | 780108      | 6   | Washer                             |
| 31    | 780113      | 1   | Washer                             |
| 31A   | 780001      | 2   | Washer                             |
| 32    | 792001      | 1   | "O" Ring                           |
| 33    | 788051A     | 2   | Square Cut Ring                    |
| 34    | 780105A     | 3   | Flanged Bushing                    |
| 35    | 780118A     | 1   | Flanged Bushing                    |
| 36    | 790003      | 1   | Brake Disk                         |
| 37    | 790007      | 1   | Brake Pad Plate                    |
| 38    | 799021      | 2   | Brake Pad (pkg of 2)               |
| 39    | 786026      | 2   | Dowel Pin                          |
| 40    | 792076A     | 1   | Washer                             |
| 41    | 790038      | 1   | Brake Lever                        |
| 42    | 792073A     | 1   | Screw, 1/4-20 x 1-1/4"             |
| 42A   | 792085A     | 1   | Screw, 1/4-20 x 2-1/4"             |
| 43    | 792075      | 1   | Locknut, 5/16-24                   |
| 44    | 790025      | 1   | Brake Pad Holder                   |
| 45    | 786067      | 1   | Spacer                             |
| 46    | 786086      | 1   | Brake Lever Bracket                |
| 47B   | 774658      | 1   | Axle (13-1/4" long) (Incl. 26)     |
| 48B   | 774657      | 1   | Axle (15-1/8" long) (Incl. 26)     |
| 49    | 778215      | 1   | Spur Gear (37 teeth)               |
| 50    | 778183      | 1   | Spur Gear (35 teeth)               |
| 51    | 778185      | 1   | Spur Gear (30 teeth)               |
| 52    | 778187      | 1   | Spur Gear (25 teeth)               |
| 53    | 778190      | 1   | Spur Gear (22 teeth)               |
| 56    | 778192      | 1   | Spur Gear (12 teeth)               |
| 57    | 778193      | 1   | Spur Gear (15 teeth)               |
| 58    | 778184      | 1   | Spur Gear (20 teeth)               |
| 59    | 778186      | 1   | Spur Gear (25 teeth)               |
| 60    | 778189      | 1   | Spur Gear (28 teeth)               |

800-844B  
Peerless

Page 2 of 3



| Ref # | Part Number | Qty | Description                              |
|-------|-------------|-----|------------------------------------------|
| 61    | 778208      | 1   | Spur Gear (31 teeth)                     |
| 65    | 780109      | 1   | Washer                                   |
| 66    | 776135      | 1   | Input Shaft                              |
| 67    | 776246      | 1   | Output & Brake Shaft                     |
| 72    | 792074      | 1   | Threaded Plug                            |
| 73    | 780140      | 2   | Needle Bearing                           |
| 74    | 788066      | 4   | Square Cut Ring                          |
| 75    | 786084      | 2   | Sleeve                                   |
| 81    | 786081      | 1   | Roller Chain (No. 41 chain, 24 links)    |
| 82    | 786082      | 1   | Sprocket (9 teeth)                       |
| 83    | 786083      | 1   | Sprocket (18 teeth)                      |
| 86    | 792083      | 1   | Washer (ship loose)                      |
| 88    | 780121      | 1   | Ball Bearing                             |
| 90    | 788067B     | 1   | Grease (32 oz. bottle Bentonite greas e) |
| 91    | 780112      | 2   | Needle Bearing                           |
| 118A  | 788053      | 2   | Square Cut Ring                          |
| 119   | 780114      | 1   | Washer                                   |
| 120A  | 780120      | 1   | Bushing                                  |
| 120   | 780064      | 2   | Bushing                                  |
| 121   | 780065      | 2   | Washer                                   |
| 123   | 792040      | 1   | Roll Pin                                 |
| 145   | 784230      | 1   | Shift Rod Plate (ship loose)             |
| 150   | 510334      | 1   | Gasket Eliminator (Loctite #515)         |

800-844B  
Peerless

Page 3 of 3