

JOIST

SICHER IST DAS:
DAS ORIGINAL






















































Ref #	Part Number	Qty	Description
13	778326	2	Bevel Gear (16 teeth) (Incl. 14)
14	778326	2	Bevel Pinion (16 teeth) (Incl. 13)
17A	786093	1	Drive Pin
26	792018	2	Retaining Ring
31A	780096	2	Washer
31	780045	2	Washer
47	774412	1	Axle (19-5/16" long)
48	774412	1	Axle (19-5/16" long)
82	786041A	1	Optional Sprocket (45 teeth - 7.389" OD)
82	786042	1	Optional Sprocket (40 teeth - 6.650" OD)
82	786043	1	Optional Sprocket (54 teeth - 8.823" OD)
82	786051	1	Optional Sprocket (60 teeth - 9.841" OD)
82	786070	1	Optional Sprocket (48 teeth - 7.920" OD)
90	788067B	1	Grease (32 oz. bottle Bentonite greas e)
101A	774457	1	Differential Carrier (Incl. 137)
102A	774458	1	Differential Carrier (Incl. 139)
103	792044	4	Screw, 5/16-18 x 3-15/16"
104	792042	4	Locknut, 5/16-18
137	780110	1	Bushing
139	780110	1	Bushing

100-100-021A Page 2 of 4
Peerless #1



47 	48 	47L 	48L 
47A 	48A 	47M 	48M 
47B 	48B 	47N 	48N 
47C 	48C 	47P 	48P 
47D 	48D 	47Q 	48Q 
47E 	48E 	47R 	48R 
47F 	48F 	47S 	48S 
47G 	48G 	47T 	48T 
47H 	48H 	47U 	48U 
47I 	48I 	47V 	48V 
47J 	48J 	47W 	48W 
47K 	48K 	47X 	48X 



Ref #	Part Number	Qty	Description
47	774412	1	Axle (19-5/16" long)
48	774412	1	Axle (19-5/16" long)
