

JOIST

SICHER IST DAS:
DAS ORIGINAL






















































Ref #	Part Number	Qty	Description
13	778221		Gear, Bevel (16 teeth)
14	778068		Gear, Pinion (16 teeth)
17	786040		Pin, Drive
26	792125		Ret. Retaining (.042 thick)(4 Req./pk g. of 2)
31	780001		Washer, Thrust
31A	780096		Washer, Thrust
82	786043		Sprocket. No Teeth 54. OD 8.823
82	786051		Sprocket. No Teeth 60. OD 9.841
82	786070		Sprocket. No Teeth 48. OD 7.920
82	786041A		Sprocket. No Teeth 45. OD 7.389
82	786042		Sprocket. No Teeth 40. OD 6.650
90	788067B		Grease (32 oz. bottle Bentonite greas e)
101	774344	100-100-053	Differential Carrier Housing (Incl. 1 37)
102	774345	Peerless #1	Differential Carrier Housing (Incl. 1 39)
103	792041		Screw, 5/16-18 x 3-11/16"
104	792042		Nut, Lock, 5/16-18
104A	792061		Washer (Use as required)
124	788055A		Gasket, Differential (Use as required)
137	780077		Bushing
139	780077		Bushing

100-100-053 Page 2 of 4
Peerless #1



47 	48 	47L 	48L 
47A 	48A 	47M 	48M 
47B 	48B 	47N 	48N 
47C 	48C 	47P 	48P 
47D 	48D 	47Q 	48Q 
47E 	48E 	47R 	48R 
47F 	48F 	47S 	48S 
47G 	48G 	47T 	48T 
47H 	48H 	47U 	48U 
47I 	48I 	47V 	48V 
47J 	48J 	47W 	48W 
47K 	48K 	47X 	48X 



Ref #	Part Number	Qty	Description
47D	774654		Axle (18-3/16" long) (Serrated)
48D	774653		Axle (8-15/16" long) (Serrated)
104A	792061		Washer (Use as required)