


JOIST

SICHER IST DAS:
DAS ORIGINAL






| Ref # | Part Number | Qty | Description |
|-------|-------------|-----|--|
| 13 | 778368 | 2 | Bevel Gear (13 teeth) (Incl. 14) |
| 14 | 778368 | 2 | Bevel Pinion (13 teeth) (Incl. 13) |
| 17 | 786040 | 1 | Drive Pin |
| 26 | 792125 | 4 | Retaining Ring (pkg of 2) |
| 31 | 780001 | 2 | Flat Washer .750 ID X .056W |
| 31A | 780096 | 2 | Flat Washer .625 ID |
| 82 | 786041A | 1 | Optional Sprocket (45 teeth - 7.389" OD) |
| 82 | 786042 | 1 | Optional Sprocket (40 teeth - 6.650" OD) |
| 82 | 786043 | 1 | Optional Sprocket (54 teeth - 8.823" OD) |
| 82 | 786051 | 1 | Optional Sprocket (60 teeth - 9.841" OD) |
| 82 | 786070 | 1 | Optional Sprocket (48 teeth - 7.920" OD) |
| 90 | 788067B | 1 | Grease (32 oz. bottle Bentonite greas e) |
| 101 | 774881 | 1 | Differential Carrier (Incl. 137A & 15 7) |
| 102 | 774882 | 1 | Differential Carrier (Incl. 139A & 15 7) |
| 103 | 792093 | 4 | Screw 5/16-18 x 4-1/4" |
| 137A | 780140 | 2 | Needle Bearing .750 ID |
| 139A | 780140 | 2 | Needle Bearing .750 ID |
| 157 | 788042 | 2 | Oil Seal 3/4" |

100-100-085A Page 2 of 4

Peerless #1



| | | | |
|----------------|----------------|----------------|----------------|
| 47 | 48 | 47L | 48L |
| 47A | 48A | 47M | 48M |
| 47B | 48B | 47N | 48N |
| 47C | 48C | 47P | 48P |
| 47D | 48D | 47Q | 48Q |
| 47E | 48E | 47R | 48R |
| 47F | 48F | 47S | 48S |
| 47G | 48G | 47T | 48T |
| 47H | 48H | 47U | 48U |
| 47I | 48I | 47V | 48V |
| 47J | 48J | 47W | 48W |
| 47K | 48K | 47X | 48X |



| Ref # | Part Number | Qty | Description |
|-------|-------------|-----|-----------------------|
| 47R | 774864A | 1 | Axle (20-15/16" long) |
| 48R | 774863A | 1 | Axle (6-7/32" long) |
