


JOIST

SICHER IST DAS:
DAS ORIGINAL






















































Ref #	Part Number	Qty	Description
13	778368	2	Bevel Gear (13 teeth) (Incl. 14)
14	778368	2	Bevel Pinion (13 teeth) (Incl. 13)
17	786040	1	Drive Pin
26	792125	4	Retaining Ring (pkg of 2)
31A	780096	2	Flat Washer .625 ID x .057W
31	780001	2	Flat Washer .750 ID x .056W
82	786041A	1	Optional Sprocket (45 teeth - 7.389" O.D.)
82	786042	1	Optional Sprocket (40 teeth - 6.650" O.D.)
82	786043	1	Optional Sprocket (54 teeth - 8.823" O.D.)
82	786051	1	Optional Sprocket (60 teeth - 9.841" O.D.)
82	786070	1	Optional Sprocket (48 teeth - 7.920" O.D.)
90	788067B	1	Grease (32 oz. bottle Bentonite greas e)
101	774344	1	Differential Carrier (Incl. 137)
102	774345	1	Differential Carrier (Incl. 139)
103	792041	4	Screw 5/16-18 x 3-3/4"
137	780077	1	Bushing .7505
139	780077	1	Bushing .7505

100-100-104A Page 2 of 4
Peerless #1



47 	48 	47L 	48L 
47A 	48A 	47M 	48M 
47B 	48B 	47N 	48N 
47C 	48C 	47P 	48P 
47D 	48D 	47Q 	48Q 
47E 	48E 	47R 	48R 
47F 	48F 	47S 	48S 
47G 	48G 	47T 	48T 
47H 	48H 	47U 	48U 
47I 	48I 	47V 	48V 
47J 	48J 	47W 	48W 
47K 	48K 	47X 	48X 



Ref #	Part Number	Qty	Description
47E	774962	1	Axle (9-1/2" long)
48E	774963	1	Axle (12-17/32" long)
