

00020728


MES 125 CH

76 cm



RICAMBI
RECHANGES
SPARE PARTS
ERSATZTEILE
RECAMBIOS
ONDERDELEN
SOBRESSALENTES
CSEREALKATRÉSZEK
NÁHRADNÉ SÚCIASTKY
SOBRESSALENTES
CZESCI ZAMIENNE

NR.	CODICE
1	34.1005.900
2	34.1005.544
3	86.3085.000
4	84.3708.000
6	86.2494.000
7	81.4588.000
8	86.2097.010
9	84.3619.000
10	34.1005.550
11	81.4548.000
12	34.1005.918 ◆
-	34.1005.913 ■
13	81.4574.000
14	86.3051.030
-	34.1005.313 ●
15	34.1005.915 ◆
-	34.1005.910 ■
16	34.1005.903 ▲
-	34.1005.914 ◆
17	84.3543.000
18	86.3988.200
19	81.4588.000
20	34.1005.252
21	86.2160.000
22	84.3622.000




◆ ROSSO
ROUGE
RED
ROT

■ VERDE
VERT
GREEN
GRÜN

▲ GRIGIO
GRIS
GREY
GRAU

● SLALOM 76


NR.	CODICE	NR.	CODICE
1	34.1012.900	18	84.3994.000
2	85.1380.000	19	34.1012.109
3	34.1025.164	20	34.1012.130 Ø22
4	34.1005.916 ◆	-	34.1012.132 Ø25
-	34.1005.912 ■	21	34.1012.124
5	86.3988.200	22	34.1012.110
6	84.3543.000	23	34.1012.114 ral 7011
7	34.1025.163	-	34.1012.125 ral 1004
8	80.1040.060	24	34.1012.105
9	27.0011.943	25	84.4084.500
10	34.1012.128	26	84.6000.000
11	85.1264.000	27	81.4787.000
12	34.1012.200	28	34.1025.150
13	34.0005.110	29	80.1042.000
14	34.1012.118	30	34.1025.165
15	34.1012.117	31	34.1025.166
17	81.4588.000	32	34.1012.119




NK.	CODICE
1	85.1137.000
2	34.1005.917 ◆
-	34.1005.911 ■
3	86.2097.010
4	34.1020.522
5	81.4548.000
6	34.1020.526
7	30.0010.050
8	34.1020.515
9	85.1145.000
10	34.1020.510
11	27.0011.943
12	84.3708.000
13	81.4588.000
14	34.1020.506
15	34.1020.520
16	84.3622.000
17	34.1020.528
18	86.2555.000

◆ ROSSO
ROUGE
RED
ROT

■ VERDE
VERT
GREEN
GRÜN







NR.	CODICE	NR.	CODICE	NR.	CODICE
1	81.4703.000	14	81.2648.000	27	34.0020.120
2	34.0020.111	15	34.1020.352	28	34.1020.130
3	81.4530.080	16	86.2952.000	29	84.6000.300
4	34.1020.370	17	81.4580.000	30	86.2439.000
5	86.1931.000	18	34.1020.060	31	86.2097.010
6	34.1020.360	19	81.4588.000	32	84.3619.000
7	34.1020.366	20	34.1020.353	33	81.4548.000
8	84.3884.000	21	23.0330.209	34	34.1020.900
9	34.1020.369	22	34.1020.350	35	86.2741.000
10	81.4794.000	23	26.0050.202	36	84.3713.000
11	84.3994.000	24	34.1020.500	37	22.0005.212
12	34.0020.109	25	34.1020.355	38	84.3685.000
13	32.1005.217	26	86.2845.000	39	34.1020.365
				40	86.3750.000

Mod. SLALOM '76


NR.	CODICE
41	86.2845.000
42	34.1020.550
43	34.1020.552
44	34.1020.350
45	34.1020.548
46	34.1020.540
48	86.2556.000
49	34.1020.544
50	34.1020.546
51	84.3685.000
52	81.4588.000
53	84.6000.150
54	34.1020.135
55	34.1020.368
56	34.1020.355
57	34.1020.558
58	86.1930.000
59	81.4530.080
60	34.1020.575




NR.	CODICE	NR.	CODICE
1	86.2582.000	21	86.2438.040
9	85.1700.000	22	84.3570.000
10	84.3812.000	23	84.3619.000
11	81.4588.000	24	34.1020.461
12	34.1012.385	25	32.1010.901
13	86.2546.000	27	34.1012.398
14	34.1005.562 ral 7011	33	34.1012.390
-	34.1005.568 ral 1004	34	34.1012.362
15	86.2944.000	36	34.1012.304
16	27.0010.145	37	34.1012.364
17	34.1005.557	38	80.1039.000
18	34.1005.560 ral 7011	41	84.3685.000
-	34.1005.567 ral 1004	42	84.3667.000
19	80.1042.000	43	34.1005.564
20	34.0005.126		



NR.	CODICE	NR.	CODICE
1	34.1012.340	13	32.1005.321
2	81.4588.000	14	34.1012.332
3	34.1012.335	15	34.1012.360
4	34.1012.304	16	85.1190.010
5	23.1005.289	17	34.1012.330
6	34.1010.320	18	84.3622.000
7	81.4642.000	19	34.1012.342
8	34.1012.300	20	81.4548.000
9	34.1012.901	21	34.1012.309
10	34.1012.325	22	34.1012.308
11	86.2546.000	23	34.1012.310
12	34.1012.395	24	22.0010.910




NR.	CODICE
1	86.3981.100
2	34.1025.155
3	34.1025.153
4	34.1025.168
5	86.2581.010
6	34.1025.176
7	81.4588.000
8	34.1025.152
9	34.1025.167
10	34.1025.159
11	81.4550.000
12	81.4574.000
13	34.1025.160
14	34.1025.161
15	81.7641.000
17	34.1025.175
18	86.2160.000
19	84.3622.000
20	34.1025.150
21	81.4545.000
22	34.1025.151



NR.	CODICE	NR.	CODICE
1	34.1005.384	20	81.4548.000
2	34.0010.154	21	84.3818.000
3	86.1931.000	22	81.4642.000
4	84.3543.000	23	34.1012.317
5	81.4530.080	24	86.3430.000
6	34.0025.110	25	86.3355.000
7	34.1025.111	26	26.1300.233
8	34.1025.120	27	34.1005.360
-	34.1025.110 ●	28	85.1350.000
9	34.1005.394	29	84.3685.000
-	34.1005.386 ●	30	34.1005.352
10	34.1005.396	31	81.4574.000
11	34.1025.114	32	34.1005.382
12	84.3843.070	33	86.3566.100
13	86.2439.100	34	34.1005.370
14	34.1012.901	35	34.1025.145
15	34.1012.312	36	86.2439.085
-	34.1012.420 ●	37	34.1025.182
16	86.2300.000	38	84.3708.000
17	86.2097.010	39	81.4588.000
18	84.3605.010	40	86.2741.000
19	34.0005.105	41	34.1012.905

● SLALOM 76




ALTERNATOR WIRING DIAGRAMS


Dual Circuit, DC Only, Regulated and Quad Circuit Alternators

If battery is dead, the engine may be started manually and operated without damage to the electrical system, with the battery connected. Battery can be charged without disconnecting battery from alternator circuit.

Basic Wiring Diagram for Equipment Using Starter Solenoid and Key Start Switch




Basic Dual Circuit Wiring Diagram




NOTE: Do not use less than 60 watts of lights as light life would be short at top engine speeds. **DO NOT** interconnect AC light circuit and battery circuit as alternator and wiring will be damaged. **DO NOT** run engine with battery disconnected unless positive battery cable is covered with insulating tape to prevent electrical sparking from the alternator.

See other side for additional wiring diagrams.

DC Only Circuit Wiring Diagram



Basic Wiring Diagram for Regulated Alternators



Basic Wiring Diagram for Quad Circuit Alternators

